

Knitted Looped Microfibre Polyester Mop head

100% knitted cleanroom laundered microfibre polyester

The QuickTask mopping range consists of a variety of flat mop heads that can be easily attached to a choice of flat mop head frame and handle assemblies.

The TASK0400 mop is manufactured from 100% knitted microfibre polyester which has been cleanroom laundered making it the cleanest mop in the range with extremely low levels of particulates.

The tubular knit loops making cleaning of cove bases and ceiling/wall joints easier than with standard flat mops. The looped construction is very sorbent, suitable for mopping-to-dry already wet surfaces.

The mop heads are compatible with a wide range of chemicals and disinfectants, including chlorine solutions. With appropriate validation, the mops can laundered and autoclaved, providing exceptional value.

The heads are compatible with the QuickTask Magnetic Mop Head Frames 2906 and 2699, and the QuickTask Polypropylene Mop Frame 2740.



Features	Benefits
Knitted tubular loop construction	 Highly sorbent so saves time as reduces number of visits back to a bucket system Ideal for mop-to-dry performance on wet surfaces Conform to any shape making it especially suitable for covering bases and wall/floor joints
Cleanroom laundered 100% polyester	 Very low levels of particle and fibres Compatible with a wide range of disinfectants and detergents Highly durable
Suitable for hands free mop removal *	Easy and convenient to useReduces cross contamination

* with appropriate hardware


Part No.	Description	Size	Packaging
TASK0400	Knitted looped microfibre polyester mop heads	41 x 13 cm	10 mops per bag
			5 bags per case

Copyright © 2023 Contec, Inc. All rights reserved. INT266 280423

Contact us: infoeu@contecinc.com contecinc.com/eu Vannes France tel: +33(0) 2 97 43 76 98 Spartanburg, SC United States tel: +1 (864) 503-8333



Product Information					
Mop material	 100% laundered polyester microfibre loops Woven polyester backing; Woven polyester hemmed edge 				
Mop construction	Multilayer sewn lamination/sealed border				
Chemical compatibility	• Compatible with a wide range of chemicals and disinfectants				
Environment	• ISO 4-8 Grade C/D				



Technical Data						
Attribute (units)	Typical Value	Test Method				
Mop weight, dry; (g)	136	CTM004-03				
Sorbent capacity; (mL/mop)	250	CTM004-03				
Particles \geq 0.5µm; (x10 ⁶ /mop)	3.81	CTM006-01				
Fibres <u>></u> 100µm; (x 10 ³ /mop)	0.07	CTM006-01				
Compatible mop frames	QuickTask Mop Frame	es 2906, 2699P, 2740				

Notes

a) The data shown are typical values and should not be used as product specifications. b) Valid product comparisons may only be obtained

b) valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
 c) Current and/or comparison data may be available.

Please contact a Contec sales representative for details.

Test Methods

CTM Contec Test Method

IEST-RP-CC004.3 Evaluating Wiping Materials Used in Cleanroom and Other Controlled Environments, Institute of Environmental Sciences and Technology, Rolling Meadows IL

Packaging Information

Case	Low density polyethylene (LDPE) Corrugated fibreboard (PAP)			83 83
TASK0400	EA/OB1 10	OB1/OB2 1 Outer Bag 1/2/3, C	OB2/CS 5	EA/CS 20

Recycling Key



For more information or to request a sample, email infoeu@contecinc.com or phone +33 (0) 2 97 43 76 98.

Contact us: infoeu@contecinc.com contecinc.com/eu

Vannes France tel: +33(0) 2 97 43 76 98 Spartanburg, SC **United States** tel: +1 (864) 503-8333

